

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY
Paper 3 Theory (Core)

0620/32

February/March 2022

1 hour 15 minutes

No additional materials are needed.


You must answer on the question paper.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.



1 (a) The electronic structures of five atoms, A, B, C, D and E, are shown.

Α	В	С	D	E

Answer the following questions about these electronic structures. Each electronic structure may be used once, more than once or not at all.

State which electronic structure, A, B, C, D or E, represents:

(i) an atom in Group V of the Periodic Table	
--	--

[1]

(ii) an atom which contains only two shells of electrons

T 4 1
111
F . 1

(iii) an atom that forms a stable ion with a charge of 2-

(iv) an atom of an element that exists as a monoatomic gas

(v) an atom of the metal that is extracted from bauxite.

[1]

(b) Complete the table to show the number of electrons, neutrons and protons in the uranium atom and rubidium ion shown.

	number of electrons	number of neutrons	number of protons
²³⁵ ₉₂ U	92		
⁸⁷ ₃₇ Rb ⁺		50	

[3]

[Total: 8]

2 (a) Biogas is a mixture of gases produced when agricultural waste is broken down in the absence of oxygen.


The table compares the percentage by mass of the gases present in two samples of biogas, **X** and **Y**.

gas	biogas X /% by mass	biogas Y /% by mass		
carbon dioxide	26	32		
hydrogen	1	1		
hydrogen sulfide	0.5	0.5		
methane	67	56		
nitrogen	4	9.5		
oxygen	0.5	0.5		
other gases		0.5		

Answer these questions using only the information in the table.

(i)	Deduce the percentage by mass of the other gases in biogas X .	
		[1
(ii)	Describe two major differences in the compositions of biogas X and biogas Y .	
	1	
	2	2

(b) Complete the diagram to show the electronic structure in a methane molecule. Show only the outer shell electrons.



(c)	Hydrogen	sulfide	burns i	n air	to pro	duce	sulfur	dioxide	and	water.

(i) Complete the chemical equation for th	nis reaction.
---	---------------

	$\dots \Pi_2 S + \dots U_2 \rightarrow Z \Pi_2 U + Z S U_2$	[4]
(ii)	Explain how this equation shows that hydrogen sulfide is oxidised.	

......[1]

[Total: 7]

3

This qu	uestion is about metals.	
(a) Sta	ate three general physical properties common to most metals.	
1.		
2 .		
3 .		
		[3]
(b) Me	etals are often used in the form of alloys.	
(i)	State the meaning of the term <i>alloy</i> .	
		[1]
(ii)	Explain in terms of their properties why alloys are used instead of pure metals.	
()		[1]
(iii)		
()	Give one use of stainless steel.	
		[1]
		[.]
(c) Pla	ace these metals in order of their reactivity with oxygen.	
	copper	
	magnesium potassium	
	zinc	
Pu	t the least reactive metal first.	
lea	ast reactive — most reactive	
		_ [2]

(d)	When 4.8 g of magnesium reacts with excess oxygen, 8.0 g of magnesium oxide is formed.
	Calculate the minimum mass of magnesium needed to produce 24.0 g of magnesium oxide.

minimum mass = g [1]


[Total: 9]

4	This qu	estion i	is about	acids, ba	ises a	nd salts.				
	(a) So	dium hy	ydroxide	is a base	Э.					
	(i)	Name	the pro	ducts for	med v	vhen sodium hyd	droxide	reacts with dilute	nitric	acid.
										[2]
	(ii)	Descr	ibe the e	effect of s	sodiun	n hydroxide on a	name	d indicator.		
										[2]
	(iii)	Comp	lete the	word equ	ıation	for the reaction o	of sodic	ım hydroxide with	ammo	nium chloride.
	sodium hydroxid			nonium Ioride	\rightarrow		+		+	water
										[2]
		scribe l c sulfat		repare pi	ure, dı	ry crystals of the	salt ziı	nc sulfate from an	aqueo	ous solution of
										[2]

(c)	The rate of reaction of zinc powder with dilute sulfuric acid is found by measuring the increase in volume of hydrogen gas produced as time increases.
	Describe the effect, if any, of each of the following on the rate of this reaction.
	The reaction is carried out with large pieces of zinc instead of zinc powder.
	All other conditions stay the same.
	The reaction is carried out using a catalyst.
	All other conditions stay the same.
	The reaction is carried out with dilute sulfuric acid of a lower concentration.
	All other conditions stay the same.
	[3]
	[۷]

[Total: 11]


- **5** This question is about air.
 - (a) The pie chart shows the proportions of the main gases in clean, dry air.



(i) Name the gases G and H.

gas G	
gas H	
	[2]

(ii) The graph shows how the volume of a sample of gas **G** changes as temperature increases. The pressure is kept constant.



Describe how the volume of gas **G** changes as temperature increases.

[4

(iii) There is a small percentage of noble gases in the air. The noble gases are unreactive.

Explain why the noble gases are unreactive in terms of their electronic structure.

......[1]

(iv) Describe the arrangement and separation of the particles in a gas.

arrangement

separation[2]

(b)	Two	o of the pollutants in air are oxides of nitrogen and lead compounds.	
	(i)	Give one effect of each of these pollutants on health.	
		oxides of nitrogen	
		lead compounds	 [2]
	(ii)	Name two other pollutants present in air.	
		State the source of each of these pollutants.	
		pollutant 1	
		source of pollutant 1	
		pollutant 2	
		source of pollutant 2	
			[4]
		[Total:	12]

6 The table shows some properties of four Group I elements.


element	melting point /°C	boiling point /°C	relative hardness
lithium	181	1342	
sodium	98		0.70
potassium	63	760	0.36
rubidium	39	686	0.22

(a)	(i)	 Complete the table by estimating: the boiling point of sodium the relative hardness of lithium. 	[2]
	(ii)	Predict the physical state of lithium at 200 °C.	
		Give a reason for your answer.	
			[2]
(b)	Pot	assium reacts with water.	
		2K + $2H_2O \rightarrow 2KOH + H_2$	
	Des	scribe two observations when potassium reacts with water.	
	1		

[2]

(c)	Lith	nium is extracted by the electrolysis of molten lithium chloride.	
	(i)	Name a non-metal used to make the electrodes.	
			[1]
	(ii)	Give one property, other than the conduction of electricity, that makes this substantiable for use as an electrode.	ance
			. [1]
((iii)	State the products of the electrolysis of molten lithium chloride at:	
		the negative electrode (cathode)	
		the positive electrode (anode).	
			[2]
(d)	Lith	nium chloride conducts electricity when molten and when in aqueous solution.	
	Giv	re two other physical properties of lithium chloride that show it is an ionic compound.	
	1		
	2		
			[2]
		[Total	: 12]

(a) The structures of four organic compounds, P, Q, R and S, are shown.



Answer the following questions about these structures.

Each structure may be used once, more than once or not at all.

(i)	State which structure, P , Q , R or S , has a carboxylic acid functional group.	
/::\	Chata which atmost was B. O. B. and G. is in the same homeological and a subsequent	[1]
(ii)	State which structure, P , Q , R or S , is in the same homologous series as ethane.	[1]
(iii)	State which structure, P , Q , R or S , decolourises aqueous bromine.	
		[1]
(iv)	Deduce the molecular formula of structure ${\bf Q}$ to show the number of carbon, hydrogen oxygen atoms.	and
		[1]
Str	ucture S is produced by cracking petroleum fractions.	

- (b)
 - Complete the sentence using a word from the list.


acids alkenes alcohols nitrogen During cracking, long-chain alkanes are converted to shorter chain alkanes and [1]

(ii) Cracking is an example of thermal decomposition.

State the meaning of the term thermal decomposition.

(c) Link each petroleum fraction on the left to its use on the right.

The first one has been done for you.



[2]

[Total: 9]

8

This q	uestion is abo	ut chlo	orine and compou	ınds o	f chlorine.		
(a) Ch	nlorine is an e	lemen	t in Group VII of t	he Pe	riodic Table.		
St	ate the meani	ng of t	he term <i>element</i> .				
							 . [1]
(b) St	ate one use o	f chlor	rine.				
							 . [1]
(c) Cl	nlorine reacts	with p	hosphorus to pro	duce i	ohosphorus(V) ch	loride	
(i)		-	tion for this react		. , ,		
()		•			\rightarrow 2PC l_5		[2]
(ii)	This reactio	n is ex		2	- 5		
(,			g of the term <i>exo</i> a	thermi	ic.		
		oami					 . [1]
							 . [·]
(d) Cl	nlorine reacts	with a	queous sodium b	romid	e.		
(i)	Complete th	ne wor	d equation for thi	s read	ction.		
]			
	chlorine	+	sodium bromide	\rightarrow		+	
							[2]
(ii)	Describe a	test fo	r bromide ions.				
	test						
	observation	s					
/::: \	\ <i>\\</i> // ₀ a.e. la va es	::-	anisan di selala anno a		alicens alabaniala Alaba	:	 [2]
(iii)			·		dium chloride the		
	Suggest in				hy there is no rea		
							 . [1]

(e) A compound of chlorine has the formula $C_3H_6Cl_2$.

Complete the table to calculate the relative molecular mass of $C_3H_6C\mathit{l}_2$.

atom	number of atoms	relative atomic mass	
carbon	3	12	3 × 12 = 36
hydrogen		1	
chlorine		35.5	

relative molecular mass = [2]

[Total: 12]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	 	² He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	52	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ä	bromine 80	53	н	iodine 127	85	Ą	astatine			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116		livemorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Fl	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	B	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
										59	D C	copper 64	47	Ag	silver 108	79	Αu	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	£	platinum 195	110	Ds	darmstadtium -
Gr										27	ပိ	cobalt 59	45	牊	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Η	hassium
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	Вb	dubnium —
					ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium —
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			က	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ъ́	francium

71	lutetium 175	103	۲	awrencium	ı
02 X	ytterbium 173	102	% %	nobelium	ı
69 Tm	thulium 169	101	Md	mendelevium	ı
88 7	erbium 167	100	Fm	ferminm	ı
67 E	holmium 165	66	Es	einsteinium	I
% %	dysprosium 163	86	ŭ	californium	ı
65 Th	terbium 159	26	Ř	berkelium	ı
²⁰ G	gadolinium 157	96	Cm	curium	I
63	europium 152	92	Am	americium	ı
.Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium -	93	ď	neptunium	ı
09 Z	neodymium 144	92	\supset	uranium	238
.59 P	praseodymium 141	91	Ра	protactinium	231
88 G	cerium 140	06	드	thorium	232
57	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).