UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the November 2004 question paper

0625 PHYSICS

0625/03

Paper 3 (Extended Theory), maximum mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

• CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2004 question papers for most IGCSE and GCE Advanced Level syllabuses.



Grade thresholds taken for Syllabus 0625 (Physics) in the November 2004 examination.

	maximum	minimum mark required for grade:			
	mark available	А	С	E	F
Component 3	80	57	33	23	14

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.

November 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0625/03

PHYSICS (Extended Theory)



	Page 1		Mark Scheme	Syllabus	Paper
			IGCSE – November 2004	0625	3
1	(a)	de de		l l 2	
	(b) (i)	40	40 (m/s)		I
	(ii)	4 (s)		1 2
	(c)	aco	eed falls from 0 to 40 m/s in 4 s celeration = change in speed/time taken or 4 celeration = 10 m/s ²		I I I 3
	(d)		stance = average speed x time or area of triar	ngle under	1
			= 20 x 4 or 2 x 40 = 80 m		1 1 3 (10)
2	(a)	pre	essure = hdg or 20 x 1000 x 10 = 2 x 10 ⁵ Pa		l l 2
	(b)	for	ce = pressure x area or $2 \times 10^5 \times 0.5$ e.c.f. = 1×10^5 N		l l 2
	(c)	•	tential energy (at water surface) anged to kinetic energy (at pipe exit)		l l 2 (6)
3	(a)		e mark for each labelled diagram th diagrams sensible but no labels ma	ax 1 2	2 2
	(b)	ne	wtons/10 is kg or equivalent	•	l 1
	(c)	vol	lume/level/reading of water then volume etc.	water + rock 1	I 1
	(d)	diff	ference in the two readings	1	l 1
	(e)	de	nsity = mass/volume	1	l 1
					(6)
4	(a) (i)	•	t hot junction in beaker (of hot water) ad temperature from galvo. in some way (cali		l l 2
	(ii)	ten	h/low temperatures stated or high/low values nperature varying rapidly or small site/at poin ace (from meter) or in control systems an	•	2 2
	(b) (i)	rais	ses the water temperature	1	I
	(ii)	pro	ovides latent heat or boils/evaporates water	1	1 2 (6)

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – November 2004	0625	3

5	(a)	(i)	any suitable random motion molecules hit walls	1	
		(ii)	rebound/bounce back or many hits per unit area or per unit time or collisions create force	t 1	
			2. (av) k.e./speed of molecules increases more hits(/sec) or harder hits	1	5
	(b)		$p_1v_1 = p_2v_2$ quoted or any recognisable substitution $2 \times 10^5 \times 0.35 = 5 \times 10^5 \times v$ volume = 0.14 (m ³)	1 1 1	3
6	(a)		expect two internal reflections at sensible angles	1	(8) 1
	(b)		angle of incidence at Y greater than critical angle total internal reflection occurs	1	2
	(c)	(i)	frequency= velocity/wavelength or $1.9 \times 10^8/3.2 \times 10^{-7}$ = 5.9×10^{14} Hz	1	
		(ii)	refractive index = 3/1.9 or 1.9/3 = 1.58 (no e.c.f.)	1 1	4
7	(a)		I = V/R or 12/8 = 1.5 A	1 1	(7)
	(b)	(i)	$10(\Omega)$	1	
		(ii)	2(Ω)	1	2
	(c)		power = VI or I^2R or V^2/R = 72W	1 1	2
	(d)	(i)	12(V)	1	
		(ii)	6(V)	1	2
	(e)	(i)	(resistance) less	1	
		(ii)	(resistance) less	1	2
8	(a)		diffraction	1	(10) 1
	(b)		plane waves in front of gap	1	
			curved end effect shown, reasonable curves	1	
			wavelength constant throughout and approximately same as in Fig. 8.1 good quality i.e. end effect starts at correct points	1 1	4
	(c)		<u>particles/water</u> oscillate/vibrate/move up and down at right angles to wave direction	1	2
					(7)

Page 3		3	Mark Scheme	Syllabus	Paper	
i ago o			IGCSE – November 2004	0625	3	
9	(a)	(i)	two coils on continuous core (not allow coils joined) primary coil to 240 V, secondary coil to 6 V iron core, primary/input and secondary/output labelled			
		(ii)	any values with <u>correct</u> 40:1 ratio, accept here diagram	e or on	1	4
	(b)		power in = power out or 240 x I = 12 current = 0.05 A		1 1	2
	(c)		must be a changing magnetic field, only from so that induction can take place	a.c.	1 1	2 (8)
10	(a)	(i)	switch, relay or amplifier		1	
		(ii)	any one of the three versions below, each 2 n	narks		
			 vary base current transistor switches on for V_{be} > 0.6 V 		1	
			small change in base current produces a large change in collector/emitted	er current	1 1	
			3. vary potential divider connected to transist transistor switches on for $V_{be} > 0.6 \text{ V}$	or base	1	3
	(b)	(i)	standard symbol with 2 inputs and an output l	abelled	1	
		(ii)	one or both inputs 1, output 1 (accept on, high both inputs 0, output 0 (accept off, low for 0)	n for 1)	1	3
11	(a)		correct equation i.e. Ra gives Rn + alpha part all numbers correct on Rn and He	icle or He	1 1	(6) 2
	(b)	(i)	radiation from surroundings/background radia	ation	1	
		(ii)	532 to 552 counts/min		1	
		(iii)	5/6 cm		1	
		(iv)	beyond 5/6 cm no alpha, only background rac	diation	1	4 (6)